

Phone : +353 (0) 1 254 9740
Mobile : + 353 86 2568863
Email : henry@sweepovac.com
Website : www.sweepovac.com



Specification sheet

Model : SVP SL

Jan 2018

Description

Sweepovac is fitted stationary vacuum that is inserted in the void space underneath kitchen units or other work units.

It provides an easy way to dispose of floor sweepings quickly and conveniently.

When fitted in motorhomes and Caravans the addition of an extendable 18ft (5.5m) hose increases the functionality to an effective "Central Vac" for caravans.



Sweepovac is supplied with 3 disposable and one re-usable bag. These bags are specific to the machine. Sweepovac contains a HEPA filter to ensure good air quality is maintained.

Electrical

It is supplied with a 10ft (3m) cable which plugs into a normal electrical outlet - 120V in the US and 220V-240V in the EU.

Fuse for EU models is 5 amp. Rating current for US 120 Volt model is 6 amp.

Motor power is 650 Watt. Max surge power is 720 Watt.

It is fitted with a micro switch behind the kick switch and a PCB board which controls the following functions :

- 1 - Hit the switch and the machine comes on for 10 secs.
- 2 - Hold the switch in for 3 seconds and the machine comes on for 5 minutes.
- 3 - Hit the switch while the machine is on and it turns off.
- 4 - The 'Bag Full" light will come on when the air pressure becomes restricted.

Fitting

To fit the Sweepovac a cut out is required.

A template is provided for this cut out :

Width 13 7/16 (342mm)

Height 3 11/16 (94mm)

The Sweepovac is screwed to the kick board with 4 wood screws which are provided.



Once fitted the Sweepovac is plugged into a regular electrical outlet. Fitting time is between 15 and 30 minutes on average.

Exhaust: An air exhaust opening equal to 8" sq (50 cm sq) should be provided for in an area adjacent to the Sweepovac at the rear or side of the cabinet, where cabinets are tight to the floor.

Whats included in the box

Sweepovac's come in individual full colour boxes. Three units are packaged together into a larger brown outer box.

Weight of the individual box: 8.8Lbs (4kg)

Weight of outer box containing 3 units: 30Lbs (14kg)

Each box contains:

1 Sweepovac.

1 10ft (3m) electrical power cable.

1 template for the cut out.

4 wood screws.

4 disposable bags.

1 Re-usable bag.

1 HEPA filter.

1 manual in 5 languages - English, German, French, Spanish, Italian.

Bag Capacity

Bag capacity is 0.5 US gallons (1.8 Litres) and is sufficient to hold the sweepings from a large floor area 800ft sq (720m sq) for 12 weeks.

Attachable Hose (sold separately)

The attachable hose extends from 6ft (1.5m) to 18ft (5.5m). It comes with 3 attachments.

1 - A probe 10" (250mm) long.

2 - A floor cleaner - 6" (150mm) wide.

3 - An upholstery brush which slides on to the floor cleaner - 6" (150mm) wide.

The hose is very easy to fold, handle and store.



Additional product codes

Attachable hose including 3 tools: SVP SL H

Packet containing 3 disposable bags and 1 HEPA filter:
SL-DB

Packet containing 1 re-usable bag and 1 HEPA filter : SL-
RB

Certification

Sweepovac will have the following certifications

MET - USA and Canada

CE - EU and others

GS

CB

AUS & NZ

It will also be compliant with ROHS

Model – SVP SL

Specifications

Airflow = **0.9M3/s**

Water lift - **14KPA**

Efficiency - **15%**

Suction power - **90w**


Decibels - 74-76 db

Filter – HEPA - fine dust filter



Dust bag – 2 layer microfiber bag + **re-usable** cloth bag.

DIMENSIONAL INFORMATION

Front



Side



View of the part of Sweepovac that is inserted beneath the kitchen unit.